

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Radlader / Wheel Loaders						
Caterpillar	CAT 966 K	PBG0104X	2013	6500	65 %	tires 26.5 R25 ca 60-70% good, aircondition, RCS, extra working lights, bucket w. edge
Caterpillar	CAT 966 H	A6G0397X	2009	16680	70 %	tires 30/65 R25 ca 70% good, aircondition, RCS, Command Steer, central lubrication, scale, extra working lights, bucket w. teeth 4.2 m3
Caterpillar	CAT 966 H	A6G0165X	2007	11490	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, full steering, central lubrication, Turbo II, extra working lights, bucket w. teeth 4.2 m3
Caterpillar	CAT 950 H	N1A0203X	2008	10740	30 %	tires 23.5 R25 ca 30% good, aircondition, RCS, full steering, extra working lights, bucket w. edge
Liebherr	L580	475600X	2001	15300	70 %	tires 26.5 R25 ca 70% good, aircondition, extra working lights, bucket with edge
Liebherr	L566 2plus2	2765X	2011	9995	100 %	tires 26.5 R25 NEW, aircondition, RCS, central lubrication, extra working lights, quick coupler, bucket with edge ca 4 m3
Liebherr	L 556	3276X	2013	6300	70 %	tires 23.5 R25 Good Year GP4D ca 70% good, aircondition, RCS, bucket w. teeth ca 3.6 m3
Volvo	L 180 G	1999X	2013	15480	50 %	tires 26.5 R25 ca 50% good, aircondition, BSS, engine preheating, central lubrication, scale Pfreundt, bucket w. teeth ca 4.6 m3
Volvo	L 180 F	1243X	2009	12150	60 %	tires: 26.5 R25 ca 60% good, aircondition, BSS, central lubrication, Turbo II, bucket w. edge 4.6 m3
Volvo	L 150 G	2333X	2013	23330	40 %	tir. 26.5 R25 ca 40% good, A/C, BSS, protection guard, reversal fan, central lubrication, engine preheating, autom. engine shutdown, bucket with teeth

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 150 E	1077X	2006	21400	40 %	tires 26.5 R25 ca 40% good, aircondition, BSS, Turbo II, central lubrication, bucket with teeth 4.0 m3
Volvo	L 150 E	923X	2005	20320	40 %	tires 26.5 R25 ca 40% good, aircondition, BSS, central lubrication, bucket with edge
Volvo	L 120 D	1447X	2000	26000	65 %	tires 23.5 R25 ca 70% good, prefilter Turbo II, central lubrication, extra working lights, bucket with edge
Volvo	L 120	758X	1991	12050	60 %	tires 23.5 R25 ca 60% good, Turbo II, bucket w. teeth ca 3 m3
Volvo	L 90 G	404X	2013	4400	80 %	tir. 20.5 R25 ca 80% good, aircondition, BSS, CDC, 3rd + 4th line, central lubrication, reversal fan, separate equipment lock, quick coupler, bucket w. edge
Volvo	BM L 70	521X	1989	32200	30 %	tires 17.5 R25 ca 30% good, 3rd line, quick coupler, bucket
Kettenbagger / Hydraulic Excavators						
Caterpillar	CAT 325 DLN	PKE0078X	2007	16600	60 %	Mono, shoes 600mm, UC ca 60% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, no bucket
Caterpillar	CAT 323 DL	ZMF0017X	2010	9775	50 %	Mono, shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger M21, bucket 800, ditch bucket 2150mm
Caterpillar	CAT 323 DL	BYM0055X	2008	13450	40 %	Mono, shoes 600mm, UC ca 40% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler BMT SW3, bucket 1300
Caterpillar	CAT 322 CLN	EMR0017X	2003	11300	40 %	Mono, shoes 600mm, UC ca 40% good, aircondition, hammer lines, grapple lines, crusher lines, bucket 1000
Caterpillar	CAT 317 BLN	6DZ0045X	1999	11500	50 %	adjustable boom, shoes 600mm, UC ca 50% good, hammer lines, bucket w.

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						teeth
Hyundai	Robex 210LC-331052X		1997	12700	50 %	Mono, shoes 700mm, UC ca 50% good, hammer lines, grapple lines, crusher lines, cable winch, quick coupler, bucket
Liebherr	R 964 B	1975X	2007	14780	60 %	Mono, shoes 600mm, UC ca 50-60% good, aircondition, protection guard, central lubrication, bucket 2000mm
Liebherr	R 944 B HDSL	651-1073X	2002	14700	50 %	Mono, shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, bucket with teeth
Liebherr	R 934 B VH HD Long Reach	175189X	2003	12460	50 %	Long Reach machine with 18m, excavation boom, Long Reach stick 6.30m, excavation stick 3.10m, aircondition, hammer-, grapple-, crusher lines, shoes 600mm, hydr. adjust. UC, bucket
Volvo	EC 300 DL	21100X	2014	6680	50 %	shoes 800mm, UC ca 50% good, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 300 DL	21108X	2014	6250	50 %	adjustable boom, shoes 800mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 240 BNLC	1039X	2002	10830	50 %	Mono, shoes 600mm, UC ca 50% good, hammer lines, grapple lines, crusher lines, extra working lights, bucket
Volvo	ECR 235 CL	11049X	2011	8450	65 %	Mono, shoes 700mm, UC ca 65% good, blade, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler
Volvo	ECR 235 CL	11027X	2009	7440	70 %	Mono, shoes 600mm, UC ca 70% good, aircondition, hammer lines, grapple

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						lines, crusher lines, central lubrication, extra working lights, no quick coupler, no bucket
Volvo	EC 210 CL	12170X	2011	9400	50 %	shoes 600, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket
Volvo	EC 210 LC	369X	2000	12430	70 %	shoes 600, UC ca 70% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket 90
Volvo	ECR 145 DL	21009X	2013	7800	30 %	Mono, shoes 700mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket 1200mm
Mobilbagger / Excavators - Mobile						
Caterpillar	CAT M 313 D	K3D0075X	2014	3600	80 %	tires 10.00-20 ca 80% good, Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Verachtert, no bucket, EPA cert.
New Holland	MH Plus	B0219X	2008	9110	50 %	adjustable boom, blade, outriggers, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S2, 2x buckets 80 a 100, ditch bucket 180, tires 10.00-20 ca 50% good
Volvo	EW 180 C	12053X	2008	10140	50 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, no attachments, tires 315/80 R22.5 ca 50% good
Volvo	EW 180 B	875160X	2005	9615	20 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger, ditch bucket 2150mm, 2x buckets 1200 and 500mm, tires 10.00-20 ca 20% good
Volvo	EW 160 C	12176X	2010	11195	30 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket 120, tires: 10.00-20

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						ca 30% good
Volvo	EW 160		2002	6600	50 %	Adjustable boom, blade, hammer lines, grapple lines, crusher lines, quick coupler, ditch bucket, bucket, tires: 10.00-20 ca 50% good
Volvo	EW 140 C	12119X	2011	9900	30 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Eurosteel, bucket, tires: 10.00-20 ca 30% good
Umschlagbagger / Excavators - Material Handlers						
Caterpillar	CAT M 322 D MP3W0019X		2014	5900	50 %	4 point outriggers, premium driving seat, central lubrication, protection guard, solid rubber tires,
Dumper-Knickgelenk / Articulated Trucks						
Caterpillar	CAT D 40 D	2JJ0002X	1994	25000	30 %	tires 29.5 R25 front, 33.25 R29 back
Volvo	A 40 F	1208X	2013	14670	53 %	tires 29.5 R25 ca 60% good, aircondition, Muldenheizung, sidewall extension
Volvo	A 40 D	1221X	2005	23000	77 %	tires 29.5 R25 ca 80% good, aircondition, body heating, central lubrication
Volvo	A 30 D	6006X	2002	10920	47 %	tires 23.5 R25 ca 50% good, aircondition, big tailgate
Volvo	A 30 D	1017X	2002	25480	30 %	tires 750/65 R25 ca 30% good, aircondition, sidewall extension, big tailgate, work done: Gearbox, Engine renewed, Injection pump, Self-aligning bearing of axles, Bearing of articulated joint

Dumper-Starr / Off-Highway Trucks

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Komatsu	HD 465-5	473X	2000	25930	30 %	tires 24.00 R35 ca 20-40% good, aircondition, body heating, central lubrication
Planierraupen / Bulldozers						
Caterpillar	CAT D 4 E	72X0078X	1985	12200	40 %	shoes 406mm, UC ca 40% good
Komatsu	D 51 PX-22	B1024X	2007	10450	30 %	shoes 710mm, UC ca 30% good, PAT - blade, aircondition, Leica 2D Laseranlage
Komatsu	D 37 PX-21A	555X	2004	9530	60 %	shoes 600mm, UC ca 60% good, PAT-blade, extra working lights
Kettenlader / Chain loaders						
Caterpillar	CAT 953	20Z0406X	1991	5780	40 %	shoes 380mm, UC ca 40% good, bucket w. teeth 1.3 m3
Baggerlader / Backhoe loaders						
Motorgrader / Motorgraders						
Walzen / Rollers						
Bomag	BW 154 AD-4	51106X	2007	6320	60 %	tandem roller, Asphalt manager
Minibagger / Mini excavators						
Volvo	ECR 58 D	28066X	2015	850	80 %	Mono, shoes 400, UC ca 80% good, hammer lines, grapple lines, crusher lines, quick coupler MS02, bucket 500, ditch bucket 1400

Brech- / Siebanlagen / Screening / Crushing Plants

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
LKW / Trucks						
Daimler-Benz	1619 Tankwagen		1984		50 %	Daimler-Benz 1619 tank wagon, with SK-cabin
MAN	TGA 26.480		2007		40 %	first reg: 20.04.2007, km: ca 746000, 6x4, EURO 4, automatic shift, front leaf spring, back air suspension
Scania	124G 420		2004		40 %	Scania 124G 420 with Meiller unwinding unit, EURO 3, 6x2, mileage ca 760000km, manual gearbox, TÜV NEW
Sonstiges / Zubehör / Miscellaneous / Accessories						
CAT	2-Steg-Bodenplatten für CAT 336DL		2009		%	2-piece shoes, ca 90% good, for CAT 336DL, 90 pieces
HS Schoch	Schaufel für L90		2016		%	bucket w. teeth for quick coupler, for Volvo L90, width 2700mm, ca 3m3
Liebherr	Grabenräumlöffel hydr.		2002		%	hydr. ditch cleaning bucket for LH R922, 1800mm width
Miller	Schnellwechsler mechanisch		2008		%	miller quick coupler mech., fits to Volvo EC290CNL with stick width of 400mm, bolts 90 mm
O&K	MB 125N	2676X	1977		%	O&K locomotive, Type: MB 125N, year: 1968, working hours: ca 19400, weight ca: 20.000 kg, good condition, ready to work
Rotorex	Typ 503		2007		%	log grapple Rotorex Typ 503
Tieflöffel	mit Zähnen		2008		%	bucket w. teeth, width 1200mm, fitting to Miller quick coupler
Volvo	Gabeln für Volvo L70F		2010		%	forks fitting quick coupler of Volvo L70F
Volvo	Schaufel für L90	07024-0050X	2014		%	bucket w. edge for quick coupler, for Volvo L90, width 2550mm
Vögele	Super 800	0790165X	2013		%	Paver, max width 3.20m, levelling, Deutz engine
Winkelbauer	Schnellwechsler	1021149X	2010		%	hydr, quick coupler fitting f.e. CAT 323DL, stick 310mm, bolt 80mm
Winkelbauer	Tieflöffel	16341-04	2010		%	bucket w. teeth, ca 1.26 m3, 1300mm, fitting on Winkelbauer quick

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						coupler
Teleskoplader / Teleskopic loaders						
Manitou	MLT 741 120H	76843X	2013	3110	50 %	tires: 460/70 R24 ca 50% gut, aircondition, max lifting height 6.90m, max payload 4.1 to, bucket, forks
Kompaktlader / Skid Steer loaders						
Takeuchi	TL 230	22300016X	2009	2180	50 %	bucket, forks, Yanmar engine, weight ca 3.7 to
Takeuchi	TL 130	2130788X	2008	3100	40 %	bucket, forks, Yanmar engine, weight ca 3.4 to

Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.

Machines offered subject to remaining unsold, prices ex works without tax.

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter www.bavariaswiss.com nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website www.bavariaswiss.com or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.