

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Radlader / Wheel Loaders</b>						
Caterpillar	CAT 988 G	BNH0108X	2004	16500	50 %	tires 35/65 R33 ca 50% good, aircondition, RCS, central lubrication, bucket with teeth
Caterpillar	CAT 966K XE H	NGX0036X	2014	12850	50 %	tires 26.5 R25 ca 50% good, High Lift, aircondition, RCS, 3rd line, extra working lights, high-tipp-bucket 8.0 m3
Caterpillar	CAT 966 H	A6G0512X	2010	15130	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 966 H	A6G0397X	2009	16680	70 %	tires 30/65 R25 ca 70% good, aircondition, RCS, Command Steer, central lubrication, scale, extra working lights, bucket w. edge 4.2 m3
Caterpillar	CAT 966 H	A6G0043X	2006	16200	40 %	tires 26.5 R25 ca 40% good, aircondition, RCS, full steering, central lubrication, extra working lights, bucket w. teeth 4.2 m3
Caterpillar	CAT 966 G-II	AWY0126X	2005	14900	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 950 H	N1A0203X	2008	10740	30 %	tires 23.5 R25 ca 30% good, aircondition, RCS, full steering, extra working lights, bucket w. edge
Caterpillar	CAT IT 12 B	4NC0146X	1988	13500	50 %	tires 17.5 R25 ca 50% good, Powershift, extra working lights, quick coupler, bucket with edge, forks
Doosan	DL 420	505X	2010	9980	30 %	tires 26.5 R25 ca 30% good, aircondition, boom suspension, central lubrication, engine Cummins 13L, extra working lights, bucket w. edge ca 3.9 m3
Komatsu	WA 470-6	H5062X	2008	15380	40 %	tires 26.5 R25 ca 40% good, aircondition, ALS, Turbo II, central lubrication, bucket with teeth ca 4.2 m3

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Liebherr	L566 2plus2	2765X	2011	9995	100 %	tires 26.5 R25 NEW, aircondition, RCS, central lubrication, extra working lights, quick coupler, bucket with edge ca 4 m3
Volvo	L 220 G	1273X	2013	10800	70 %	tit. 29.5 R25 L3 Bridgestone VJT ca 70% good, A/C, BSS, Axloilcooling, central lubrication, engine preheating, autom. engine shutdown, backdrive camera and -alarm, bucket with teeth
Volvo	L 180 E	910X	2007	14400	50 %	tires 26.5 R25 ca 50% good, aircondition, BSS, Turbo II, separate equipment lock, quick coupler, no bucket
Volvo	L 120 E	1623X	2002	17810	50 %	tires 23.5 R25 ca 50% good, aircondition, BSS, airsuspended heated seat, central lubrication, bucket with teeth ca 3.4 m3
Volvo	BM L 70	805X	1989	32200	30 %	tires 17.5 R25 ca 30% good, 3rd line, quick coupler, bucket
Volvo	L 30 G	312101X	2016	1040	60 %	tires 405/70 R20 ca 70% good, 3rd line, multi purpose bucket 0.9m3, forks 1000mm
Volvo	L 20 B	170174X	2007	2800	45 %	tires 12.0-18 ca 50% good, beacon light, 3ed line, quick coupler, bucket, forks

**Kettenbagger / Hydraulic Excavators**

Caterpillar	CAT 345 CL	GPH0037X	2007	11100	60 %	Mono, shoes 600mm, UC mech. adjustable ca 60% good, aircondition, extra working lights, bucket
Caterpillar	CAT 323 DL	ZMF0017X	2010	9775	50 %	Mono, shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger M21, bucket 800, ditch bucket 2150mm
Caterpillar	CAT 323 DL	BYM0055X	2008	13450	40 %	Mono, shoes 600mm, UC ca 40% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler BMT SW3, bucket 1300

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT 317 BLN	6DZ0045X	1999	11500	50 %	adjustable boom, shoes 600mm, UC ca 50% good, hammer lines, bucket w. teeth 1300mm
Hyundai	Robex 210LC-331052X		1997	12700	50 %	Mono, shoes 500mm, UC ca 70% good, hammer lines, grapple lines, crusher lines, cable winch, quick coupler, bucket 1400mm
JCB	JS 220 XD	1464314-RB25X	2011	6300	50 %	shoes 600mm, UC ca 50% good, Mono, protection guard, aircondition, hammer lines, grapple lines, crusher lines, bucket
Liebherr	R 964 B	1975X	2007	14780	60 %	Mono, shoes 600mm, UC ca 50-60% good, aircondition, protection guard, central lubrication, bucket 2000mm
Liebherr	R 934 B VH HD Long Reach	175118X	2003	12460	50 %	Long Reach machine with 18m, excavation boom, Long Reach stick 6.30m, excavation stick 3.10m, aircondition, hammer-, grapple-, crusher lines, shoes 600mm, hydr. adjust. UC, bucket
Volvo	EC 300 DL	21100X	2014	6680	50 %	shoes 800mm, UC ca 50% good, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 300 DL	21108X	2014	6250	50 %	adjustable boom, shoes 800mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	ECR 235 CL	11049X	2011	8450	65 %	Mono, shoes 700mm, UC ca 65% good, blade, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler
Volvo	ECR 235 CL	11027X	2009	7440	70 %	Mono, shoes 600mm, UC ca 70% good, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, extra working lights, no

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	EC 210 CL	12170X	2011	9400	50 %	quick coupler, no bucket shoes 600, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket
Volvo	EC 210 LC	369X	2000	12430	70 %	shoes 600, UC ca 70% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket 90
Volvo	ECR 145 DL	21009X	2013	7800	30 %	Mono, shoes 700mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket 1200mm
<b>Mobilbagger / Excavators - Mobile</b>						
Caterpillar	CAT M 313 D	K3D0075X	2014	3600	80 %	tires 10.00-20 ca 80% good, Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Verachtert, no bucket, EPA cert.
Komatsu	PW 148-8	H5022X	2011	7200	%	tires 10.00-20 ca 30% good, Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, no bucket
New Holland	MH Plus	B0219X	2008	9110	50 %	adjustable boom, blade, outriggers, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S2, 2x buckets 80 a 100, ditch bucket 180, tires 10.00-20 ca 50% good
Volvo	EW 180 C	12053X	2008	10140	50 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, no attachments, tires 315/80 R22.5 ca 50% good
Volvo	EW 180 B	875160X	2005	9615	20 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger, ditch bucket 2150mm, 2x buckets 1200 and 500mm, tires 10.00-20 ca 20% good

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Umschlagbagger / Excavators - Material Handlers</b>						
<b>Dumper-Knickgelenk / Articulated Trucks</b>						
Caterpillar	CAT D 40 D	2JJ0002X	1994	25000	30 %	tires 29.5 R25 front, 33.25 R29 back
Terex O&K	D25		1994	19100	43 %	tires 23.5 R25 ca 30-60% good, body heating
Volvo	A 40 F	1208X	2013	14670	53 %	tires 29.5 R25 ca 60% good, aircondition, Muldenheizung, sidewall extension
Volvo	A 40 D	1221X	2005	23000	77 %	tires 29.5 R25 ca 80% good, aircondition, body heating, central lubrication
<b>Dumper-Starr / Off-Highway Trucks</b>						
Komatsu	HD 465-5	473X	2000	25930	30 %	tires 24.00 R35 ca 20-40% good, aircondition, body heating, central lubrication
<b>Planierraupen / Bulldozers</b>						
Caterpillar	CAT D 8 H	68A0506X	2019	12000	70 %	shoes 550mm, UC ca 70% good, SU-blade, Powershift, SS-Ripper
Caterpillar	CAT D 4 E	72X0078X	1985	12200	40 %	shoes 406mm, UC ca 40% good
Komatsu	D 51 PX-22	B1024X	2007	10450	30 %	shoes 710mm, UC ca 30% good, PAT - blade, aircondition, Leica 2D Laseranlage
Komatsu	D 37 PX-21A	555X	2004	9530	60 %	shoes 600mm, UC ca 60% good, PAT-blade, extra working lights
<b>Kettenlader / Chain loaders</b>						
Caterpillar	CAT 953	20Z0406X	1991	5780	40 %	shoes 380mm, UC ca 40% good, bucket w. teeth 1.3 m3

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Baggerlader / Backhoe loaders</b>						
<b>Motorgrader / Motorgraders</b>						
<b>Walzen / Rollers</b>						
Bomag	BW 120 AC-4	10188009117X	2012	5360	%	open cabin, drum width 1200mm, drum diameter 700mm, EPA certified
Hamm	3412 VIO	H160119X	2005	5820	40 %	tires: AW 23.1 / 18-26 12PR ca 40% good, single drum roller with smooth drum, aircondition
<b>Minibagger / Mini excavators</b>						
Volvo	ECR 58 D	28066X	2015	850	80 %	Mono, shoes 400, UC ca 80% good, hammer lines, grapple lines, crusher lines, quick coupler MS02, bucket 500, ditch bucket 1400
Volvo	EC 45	2841521X	2003	4500	40 %	Mono, shoes 400, UC ca 70% good, hammer lines, grapple lines, crusher lines, quick coupler Volvo, bucket 500
<b>Brech- / Siebanlagen / Screening / Crushing Plants</b>						
<b>LKW / Trucks</b>						
Daimler-Benz	1619 Tankwagen		1984		50 %	Daimler-Benz 1619 tank wagon, with SK-cabin
MAN	TGA 26.480		2007		40 %	first reg: 20.04.2007, km: ca 746000, 6x4, EURO 4, automatic gearbox, front leaf spring, back air suspension
MAN	14.152 Kehrmachine		1992		40 %	road sweeper, Schörling composition
<b>Sonstiges / Zubehör / Miscellaneous / Accessories</b>						
HS Schoch	Schaufel Volvo L90 SW		2016		%	bucket w. teeth for quick coupler, for Volvo L90, width 2700mm, ca

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						3m3
Hyster	H50J	F3A 259XX	1984		%	forklift Hyster H50J, Perkins Diesel engine, lifting height 3.8m, lifting force 5,0 to, side shifting device
Liebherr	Grabenräumlöffel hydr.		2002		%	hydr. ditch cleaning bucket for LH R922, 1800mm width
O&K	MB 125N	2676X	1977		%	O&K locomotive, Type: MB 125N, year: 1968, working hours: ca 19400, weight ca: 20.000 kg, good condition, ready to work
Ranger	G60/H2	RAN593X	2009		%	terrain forklift, lifting weight 6 to, lifting height 4m
Stichweh	KS 400 S	123X	1979		%	drag scraper, year 1972, overhauled in year 2000, Telemeter, 3000 working hours, drag force 10 to, pendulum feeder, ca 3000 working hours
Stichweh	KS 300	569X	1979		%	drag scraper, year 1972, converter overhauled in 2012,
Tieflöffel	mit Zähnen		2008		%	bucket w. teeth, width 1200mm, fitting to Miller quick coupler
Volvo	Schaufel m. Zähnen, fix verbolzt		2013		%	bucket with teeth, direct mounted, for Volvo L180, width 3200mm, ca 4.6 m3
Volvo	Gabeln für Volvo L70F		2010		%	forks fitting quick coupler of Volvo L70F
Vögele	Super 800	0790165X	2013		%	Paver, max width 3.20m, levelling, Deutz engine
ZFE	Schaufel Volvo	8943W	2017		%	bucket w. edge for quick coupler, for Volvo L90, width 2700mm, ca 2.5 m3
<b>Teleskoplader / Teleskopic loaders</b>						
Manitou	MLT 741 120H	76843X	2013	3110	50 %	tires: 460/70 R24 ca 50% gut, aircondition, max lifting height 6.90m, max payload 4.1 to, bucket 2500mm ca 1.8 m3, forks 1700mm

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Kompaktlader / Skid Steer loaders</b>						
Takeuchi	TL 230	22300016X	2009	3200	50 %	with bucket 1650mm, forks 1100mm, engine Yanmar
Takeuchi	TL 130	2130788X	2008	3100	40 %	with bucket 1650mm, forks 1100mm, engine Yanmar

**Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.**

**Machines offered subject to remaining unsold, prices ex works without tax.**

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter [www.bavariaswiss.com](http://www.bavariaswiss.com) nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website [www.bavariaswiss.com](http://www.bavariaswiss.com) or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.