

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Radlader / Wheel Loaders</b>						
Caterpillar	CAT 966K XE H	NGX0036X	2014	12850	30 %	tires 26.5 R25 ca 30% good, High Lift, aircondition, RCS, 3rd line, extra working lights, high-tipp-bucket 8.0 m3
Caterpillar	CAT 966 H	A6G0512X	2010	15130	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 966 H	A6G0397X	2009	16680	70 %	tires 30/65 R25 ca 70% good, aircondition, RCS, Command Steer, central lubrication, scale, extra working lights, bucket w. edge 4.2 m3
Caterpillar	CAT 966 G-II	AWY0126X	2005	14900	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 950 H	N1A0203X	2008	10740	30 %	tires 23.5 R25 ca 30% good, aircondition, RCS, full steering, extra working lights, bucket w. edge
Caterpillar	CAT IT 12 B	4NC0146X	1988	13500	50 %	tires 17.5 R25 ca 50% good, Powershift, extra working lights, quick coupler, bucket with edge, forks
Doosan	DL 420	505X	2010	9980	30 %	tires 26.5 R25 ca 30% good, aircondition, boom suspension, central lubrication, engine Cummins 13L, extra working lights, bucket w. edge ca 3.9 m3
Komatsu	WA 470-6	H5062X	2008	15380	40 %	tires 26.5 R25 ca 40% good, aircondition, ALS, Turbo II, central lubrication, bucket with teeth ca 4.2 m3
Komatsu	WA 380-8	H6505X	2016	2060	60 %	tires 23.5 R25 Good Year ca 60% good, aircondition, ALS, Turbo prefilter, one-arm-steering, central lubrication, extra working lights, bucket with teeth and edge ca 3.2 m3
Liebherr	L566 2plus2	2765X	2011	9995	100 %	tires 26.5 R25 NEW, aircondition, RCS, central lubrication, extra

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 220 G	1273X	2013	10800	70 %	working lights, quick coupler, bucket with edge ca 4 m3 tit. 29.5 R25 L3 Bridgestone VJT ca 70% good, A/C, BSS, Axloilcooling, central lubrication, engine preheating, autom. engine shutdown, backdrive camera and -alarm, bucket with teeth
Volvo	L 180 E	910X	2007	14400	50 %	tires 26.5 R25 ca 50% good, aircondition, BSS, CDC, Turbo II, separate equipment lock, quick coupler, no bucket
Volvo	L 120 H	1576X	2017	1390	80 %	tir 23.5 R25 GY TL3A ca 80% good, A/C, BSS, CDC, Optishift, 3rd+4th line, reversal fan, central lube, LED pack (Power), engine preheating, quick coupler, bucket w. edge 3.7 m3
Volvo	L 120 F	2423X	2008	14750	35 %	tir 23.5 R25 ca 40% good, aircondition, BSS, airsuspended seat, central lubrication, extra working lights, bucket w. edge ca 3.3 m3
Volvo	L 120 F	2349X	2007	12650	50 %	tires 23.5 R25 ca 50% good, aircondition, BSS, airsuspended seat, bucket w. teeth ca 3.3 m3
Volvo	L 110 H	1144X	2017	1150	80 %	tir 23.5 R25 GY TL3A ca 80% good, A/C, BSS, CDC, 3rd+4th line, reversal fan, central lube, LED pack (Power), engine preheating, remote control, quick coupler, bucket w. edge 3.1 m3
Volvo	L 110 G	845X	2012	13300	100 %	tires 23.5 R25 NEW, aircondition, BSS, CDC, 3rd line, reversal fan, central lubrication, quick coupler, no bucket
Volvo	L 110 E	118X	2003	17900	35 %	Ber. 23.5 R25 ca 30-40% gut, Klima, BSS, luftgefederter Sitz, Schaufel mit Zähnen ca 3.1 m3
Volvo	BM 4500	433X	1988	12860	40 %	tires 23.5 R25 ca 40% good, 3rd line, quick coupler, bucket with teeth ca 2.4 m3

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 70 H	1287X	2017	440	80 %	tir. 600/65 R25 Michelin XLD (L3) ca 80% good, A/C, BSS, CDC, 3rd+4th line, central lubrication, 40 km/h, reversal fan, electr. engine preheating, LED package (Power), quick coupler hydr., no bucket
Volvo	BM L 70	805X	1989	32200	30 %	tires 17.5 R25 ca 30% good, 3rd line, quick coupler, bucket
Volvo	L 20 B	170174X	2007	2800	45 %	tires 12.0-18 ca 50% good, beacon light, 3ed line, quick coupler, bucket, forks
<b>Kettenbagger / Hydraulic Excavators</b>						
Caterpillar	CAT 345 CL	GPH0037X	2007	11100	60 %	Mono, shoes 600mm, UC mech. adjustable ca 60% good, aircondition, extra working lights, bucket
Caterpillar	CAT 323 DL	BYM0055X	2008	13630	50 %	shoes 600, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler BMT, bucket 1300mm
Hyundai	Robex 210 LC-	331052X	1997	12700	70 %	Mono, stick 3.0m, shoes 500mm, UC ca 70% good, hammer lines, cable winch 100m, bucket 1400mm
JCB	JS 220 LC XD	1464314-RB25X	2011	6300	50 %	shoes 600mm, UC ca 50% good, Mono, protection guard, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff MS2, bucket w. teeth 1200mm, ca 064 m3
Liebherr	R 964 B	1975X	2007	14780	60 %	Mono, shoes 600mm, UC ca 50-60% good, aircondition, protection guard, central lubrication, bucket 2000mm
Volvo	EC 300 DL	21100X	2014	6680	50 %	shoes 800mm, UC ca 50% good, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 300 DL	21108X	2014	6250	50 %	adjustable boom, shoes 800mm, UC ca 50% good, aircondition, hammer

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 290 BNLC	8008X	2006	11580	60 %	Mono, shoes 600mm, UC ca 60% good, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler Verachttert, bucket 1.6m3
Volvo	ECR 235 CL	11049X	2011	8450	65 %	Mono, shoes 700mm, UC ca 65% good, blade, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler Verachttert CW40, bucket 130
Volvo	ECR 235 CL	11027X	2009	7440	70 %	Mono, shoes 600mm, UC ca 70% good, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, extra working lights, no quick coupler, no bucket
Volvo	EC 220 EL NEW	2143X	2017	5	100 %	shoes 600mm, UC NEW, A/C, hammer lines, grapple lines, crusher lines, proportionalsteering, sideview camera right side, swimming valve, 2-pump steering, light package LED (Power), no attachments
Volvo	EC 210 CL	12170X	2011	9400	50 %	shoes 600, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket 1000mm
Volvo	ECR 145 DL	21009X	2013	7800	30 %	Mono, shoes 700mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachttert, bucket 1200mm
<b>Mobilbagger / Excavators - Mobile</b>						
Atlas	160 W	3015X	2009	12050	40 %	tires 10.00-20 ca 40% good, aircondition, protection guard, adjustable boom, blade, hammer lines, grapple lines, crusher lines, bucket

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT M 313 D	K3D0075X	2014	3600	80 %	tires 10.00-20 ca 80% good, Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Verachtert, no bucket, EPA cert.
Komatsu	PW 148-8	H5022X	2011	7200	%	tires 10.00-20 ca 30% good, Adjustable boom, blade, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, no bucket
Liebherr	A 314	K02888X	2006	7600	60 %	balloon tires ca 60% good, aircondition, adjustable boom, blade, outriggers, hammer lines, grapple lines, crusher lines, quick coupler LH SWA33, bucket 110
New Holland	MH Plus	B0219X	2008	9110	50 %	adjustable boom, blade, outriggers, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S2, 2x buckets 80 a 100, ditch bucket 180, tires 10.00-20 ca 50% good
Volvo	EW 180 E	32023X	2016	860	80 %	Adjustable boom, blade, aircondition, hammer-, grapple-, crusher lines, tires 10.00 20 ca 80% good, proportionalsteering, swimming valve, electr. muliport swivel 18 channels, no attachments
Volvo	EW 180 C	12053X	2008	10140	50 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, no attachments, tires 315/80 R22.5 ca 50% good
Volvo	EW 180 B	875160X	2005	9615	20 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger, ditch bucket 2150mm, 2x buckets 1200 and 500mm, tires 10.00-20 ca 20% good
Volvo	EW 160 E NEW32139X		2018	5	100 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, tires 10.00 20 NEW, proportionalsteering, swimming

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	EW 160 C	12098X	2008	6710	50 %	valve, electr. muliport swivel 18 channels, no attachments Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S1, bucket 1180mm, ditch bucket 1800mm, tires 10.00-20 ca 50% good
<b>Umschlagbagger / Excavators - Material Handlers</b>						
<b>Dumper-Knickgelenk / Articulated Trucks</b>						
Caterpillar	CAT D 40 D	2JJ0002X	1994	25000	30 %	tires 29.5 R25 front, 33.25 R29 back
Terex O&K	D25		1994	19100	43 %	tires 23.5 R25 ca 30-60% good, body heating
Volvo	A 40 F	1208X	2013	14670	53 %	tires 29.5 R25 ca 60% good, aircondition, Muldenheizung, sidewall extension
<b>Dumper-Starr / Off-Highway Trucks</b>						
Komatsu	HD 465-5	473X	2000	25930	30 %	tires 24.00 R35 ca 20-40% good, aircondition, body heating, central lubrication
<b>Planierraupen / Bulldozers</b>						
Komatsu	D 51 PX-22	B1024X	2007	10450	30 %	shoes 710mm, UC ca 30% good, PAT - blade, aircondition, Leica 2D Laseranlage
Komatsu	D 37 PX-21A	555X	2004	9530	60 %	shoes 600mm, UC ca 60% good, PAT-blade, extra working lights
<b>Kettenlader / Chain loaders</b>						
Caterpillar	CAT 953	20Z0406X	1991	5780	40 %	shoes 380mm, UC ca 40% good, bucket w. teeth 1.3 m3



Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Baggerlader / Backhoe loaders</b>						
<b>Motorgrader / Motorgraders</b>						
<b>Walzen / Rollers</b>						
Bomag	BW 154 AP-AM60210X		2011	860	%	Asphalt Manager, edge cutter device, split caster Bomag BS150
Bomag	BW 154 AD-4	2051106X	2007	6320	%	Asphalt Manager, Glattmantelbandage
Bomag	BW 120 AC-4	10188009117X	2012	5360	%	open cabin, drum width 1200mm, drum diameter 700mm, EPA certified
<b>Minibagger / Mini excavators</b>						
Caterpillar	CAT 303.5 ECRRKY0027X		2012	9050	40 %	Mono, shoes 300, UC ca 40% good, blade, hammer lines, Grapple lines, crusher lines, quick coupler Gehl, 2x buckets 40 and 60
Kobelco	SK 35 SR-3	PX12-1124X	2005	3850	60 %	Mono, shoes 300, UC ca 60% good, blade, hammer lines, quick coupler Lehnhoff, bucket 300, ditch bucket 1140
Volvo	EC 45	2841521X	2003	4500	40 %	Mono, shoes 400, UC ca 70% good, hammer lines, grapple lines, crusher lines, quick coupler Volvo, bucket 500
<b>Brech- / Siebanlagen / Screening / Crushing Plants</b>						
<b>LKW / Trucks</b>						
Daimler-Benz	1619 Tankwagen		1984		50 %	Daimler-Benz 1619 tank wagon, with SK-cabin
MAN	TGA 26.480		2007		40 %	first reg: 20.04.2007, km: ca 746000, 6x4, EURO 4, automatic gearbox, front leaf spring, back air suspension
MAN	14.152 Kehrmachine		1992		40 %	road sweeper, Schörling composition

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Sonstiges / Zubehör / Miscellaneous / Accessories</b>						
Hyster	H50J	F3A 259XX	1984		%	forklift Hyster H50J, Perkins Diesel engine, lifting height 3.8m, lifting force 2300kg, side shifting device
Liebherr	Grabenräumlöffel hydr.		2002		%	hydr. ditch cleaning bucket for LH R922, 1800mm width
O&K	MB 125N	2676X	1977		%	O&K locomotive, Type: MB 125N, year: 1968, working hours: ca 19400, weight ca: 20.000 kg, good condition, ready to work
Ranger	G60/H2	RAN593X	2009		%	terrain forklift, lifting weight 6 to, lifting height 4m
Stichweh	KS 400 S	123X	1979		%	drag scraper, year 1972, overhauled in year 2000, Telemeter, 3000 working hours, drag force 10 to, pendulum feeder, ca 3000 working hours
Stichweh	KS 300	569X	1979		%	drag scraper, year 1972, converter overhauled in 2012,
Tieflöffel	mit Zähnen		2008		%	bucket w. teeth, width 1200mm, fitting to Miller quick coupler
Volvo	Schaufel m. Zähnen, fix verbolzt		2013		%	bucket with teeth, direct mounted, for Volvo L180, width 3200mm, ca 4.6 m3
Vögele	Super 800	0790165X	2013		%	Paver, max width 3.20m, levelling, Deutz engine
Wirtgen parts	WR2500SK		2007		%	big package of spare parts for Wirtgen WR2500SK available, parts worth more than €30.000,-, as package very cheap to buy, list of all parts available immediately
<b>Teleskoplader / Teleskopic loaders</b>						
Manitou	MLT 741 120H	76843X	2013	3110	50 %	tires: 460/70 R24 ca 50% gut, aircondition, max lifting height 6.90m, max payload 4.1 to, bucket 2500mm ca 1.8 m3, forks 1700mm



---

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
-------	------	-----	------	-------	----------	-------------

---

**Kompaktlader / Skid Steer loaders**

**Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.**

**Machines offered subject to remaining unsold, prices ex works without tax.**

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter [www.bavariaswiss.com](http://www.bavariaswiss.com) nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website [www.bavariaswiss.com](http://www.bavariaswiss.com) or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.