

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Radlader / Wheel Loaders						
Caterpillar	CAT 966 K	PBG0096X	2013	6140	65 %	tires 26.5 R25 ca 70% good, aircondition, RCS, extra working lights, central lubrication, bucket w. edge, EPA certificate
Caterpillar	CAT 966 H	A6G0165X	2007	11490	50 %	tires 26.5 R25, aircondition, RCS, full steering, central lubrication, Turbo II, extra working lights, bucket w. teeth 4.2 m3
Caterpillar	CAT 950 H	N1A0195X	2008	10740	30 %	tires 23.5 R25 ca 30% good, aircondition, RCS, full steering, extra working lights, bucket w. edge
Liebherr	L580	475600X	2001	15300	70 %	tires 26.5 R25 ca 70% good, aircondition, extra working lights, bucket with edge
Liebherr	L 566	2765X	2011	9995	100 %	tires 26.5 R25 NEW, aircondition, RCS, protection guard, central lubrication, extra working lights, reverse warning audible, quick coupler, bucket w. edge
Liebherr	L 556	3276X	2013	6300	70 %	tires 23.5 R25 Good Year GP4D ca 70% good, aircondition, RCS, quick coupler, bucket w. edge ca 3.6 m3
Volvo	L 180 G	1999X	2013	15480	50 %	tires 26.5 R25 ca 50% good, aircondition, BSS, engine preheating, central lubrication, scale Pfreundt, bucket w. teeth ca 4.6 m3
Volvo	L 180 F	1243X	2009	12150	60 %	tires: 26.5 R25 ca 60% good, aircondition, BSS, central lubrication, Turbo II, bucket w. edge 4.6 m3
Volvo	L 180 F	1203X	2008	14740	45 %	tires: 26.5 R25 ca 50% good, aircondition, BSS, CDC, 3rd line, central lubrication, Turbo II, reversal fan, weighing system, extra working lights, quick coupler
Volvo	L 180 E	892X	2007	10950	35 %	tires 26.5 R25 ca 30% good, aircondition, BSS, CDC, 3rd line, central

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						lubrication, engine preheating, reversal fan, extra working lights, quick coupler Lameter, bucket w. edge
Volvo	L 180 E	920X	2007	23300	60 %	tires 26.5 R25 ca 60% good, aircondition, BSS, electr. engine preheating, central lubrication, reversal fan, quick coupler, if you wish with wood grapple
Volvo	L 150 F	1746X	2010	12510	30 %	tires 26.5 R25 ca 30% good, aircondition, BSS, 3rd line, central lubrication, bucket with teeth ca 4 m3
Volvo	L 150 E	1077X	2006	21400	40 %	tires 26.5 R25 ca 40% good, aircondition, BSS, Turbo II, central lubrication, bucket with teeth 4.0 m3
Volvo	L 120	758X	1991	12050	60 %	tires 23.5 R25 ca 60% good, Turbo II, bucket w. teeth ca 3 m3
Volvo	L 110 G	830X	2012	7160	30 %	tires 23.5 R25 ca 30% good, aircondition, BSS, central lubrication, bucket with edge
Volvo	L 110 G	813X	2011	7700	30 %	tires 23.5 R25 ca 30% good, aircondition, BSS, central lubrication, bucket with edge
Volvo	L 90 G	404X	2013	4100	80 %	tir. 20.5 R25 ca 80% good, A/C, BSS, CDC, 40 km/h, airsuspended seat, 3rd + 4th line, reversal fan, central lubrication, extra working lights LED, quick coupler, bucket w. edge
Volvo	BM L 70	521X	1989	32200	30 %	tires 17.5 R25 ca 30% good, 3rd line, quick coupler, bucket
Volvo	L 45 F-TP	196009X	2009	6500	40 %	tires 15.5 R25 ca 40% good, aircondition, one-arm-steering, 3rd line, quick coupler, no bucket
Kettenbagger / Hydraulic Excavators						
Caterpillar	CAT 330 DLN	GGE0038X	2007	14285	60 %	Mono, shoes 600mm, UC ca 60% good, aircondition, protection guard,

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						central lubrication, hammer lines, grapple lines, crusher lines, no attachments
Caterpillar	CAT 330 BL UH	ERS0061X	2001	13390	60 %	demolition boom 21m, digging boom, hydr. adjust. UC, tiltable cabin, aircondition, protection guard, central lubrication, hammer lines, grapple lines, crusher lines, bucket
Caterpillar	CAT 329 DLN	EBM0022X	2010	10500	60 %	Mono 6.20m, shoes 600mm, UC ca 60% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler OilQuick OQ80, bucket 1700mm
Caterpillar	CAT 329 DLN	EBM0014X	2010	13745	50 %	Mono, shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler BMT SW3, bucket 1700
Caterpillar	CAT 323 DL	ZMF0017X	2010	9775	50 %	Mono, shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger M21, bucket 800, ditch bucket 2150mm
Caterpillar	CAT 323 DL	BYM0055X	2008	13450	40 %	Mono, shoes 600mm, UC ca 40% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler BMT SW3, bucket 1300
Liebherr	R 964 B	1975X	2007	14780	60 %	Mono, shoes 600mm, UC ca 50-60% good, aircondition, protection guard, central lubrication, bucket 2000mm
Liebherr	R 944 C VH	HD2303X	2008	13450	40 %	demolition boom 21m, digging boom, A/C, tiltable cabin, hydr. adjustable UC, protection guard, watering system, extra working lights, hammer-, grapple-, crusher line, 2x quick coupler Lehnhoff,
Liebherr	R 924 C	2418X	2008	15500	50 %	Mono, shoes 600mm, UC ca 60% good, aircondition, protection guard, central lubrication, hammer lines, grapple lines, crusher lines, quick

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	EC 300 DL	21115X	2014	4025	80 %	coupler Lehnhoff, bucket adjustable boom, shoes 800mm, UC ca 80% good, aircondition, hammer lines, grapple lines, crusher lines, proportionalsteering, extra working lights, no attachments
Volvo	EC 300 DL	21100X	2014	6680	50 %	shoes 800mm, UC ca 50% good, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 300 DL	21108X	2014	6250	50 %	adjustable boom, shoes 800mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 290 BLR	8096X	2007	10900	60 %	Mono, shoes 800, UC ca 60% good, 18m reach, aircondition, quick coupler Rädlinger (system Lehnhoff, bucket 90
Volvo	EC 240 BNLC	1039X	2002	11300	50 %	Mono, shoes 600mm, UC ca 50% good, hammer lines, grapple lines, crusher lines, extra working lights, bucket
Volvo	ECR 235 CL	11049X	2011	8450	65 %	Mono, shoes 700mm, UC ca 65% good, blade, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler Verachttert CW40, bucket 130
Volvo	ECR 235 CL	11027X	2009	7440	70 %	Mono, shoes 600mm, UC ca 70% good, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, extra working lights, no quick coupler, no bucket
Volvo	EC 210 LC	369X	2000	12430	70 %	shoes 600, UC ca 70% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket 90

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	ECR 145 DL	21009X	2013	7800	30 %	Mono, shoes 700mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachttert, bucket 1200mm
Mobilbagger / Excavators - Mobile						
New Holland	MH Plus	B0219X	2008	9110	50 %	adjustable boom, blade, outriggers, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S2, 2x buckets 80 a 100, ditch bucket 180, tires 10.00-20 ca 50% good
Volvo	EW 180 C	12053X	2008	10140	50 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, no attachments, tires 315/80 R22.5 ca 50% good
Volvo	EW 180 B	875160X	2005	9615	20 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger, ditch bucket 2150mm, 2x buckets 1200 and 500mm, tires 10.00-20 ca 20% good
Volvo	EW 160 C	12176X	2010	11195	30 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachttert, bucket 120, tires: 10.00-20 ca 30% good
Umschlagbagger / Excavators - Material Handlers						
Caterpillar	CAT M 322 D MP3W0019X		2014	5900	50 %	4 point outriggers, premium driving seat, central lubrication, protection guard, solid rubber tires,
Dumper-Knickgelenk / Articulated Trucks						
Volvo	A 30 D	6006X	2002	10920	47 %	tires 23.5 R25 ca 50% good, aircondition, big tailgate
Dumper-Starr / Off-Highway Trucks						

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Komatsu	HD 465-5	473X	2000	25930	30 %	tires 24.00 R35 ca 20-40% good, aircondition, body heating, central lubrication
Planierraupen / Bulldozers						
Caterpillar	CAT D6R-II LGBNC0048X		2006	12160	60 %	shoes 915mm, UC ca 60% good, SU- blade, aircondition, ripper valve
Caterpillar	CAT D6N XL	AKM0191X	2006	14370	90 %	shoes 610mm, UC ca 90% good, PAT - blade, aircondition, 3-teeth-ripper
Komatsu	D 51 PX-22	B1024X	2007	10450	30 %	shoes 710mm, UC ca 30% good, PAT - blade, aircondition, Leica 2D Laseranlage
Komatsu	D 37 PX-21A	555X	2004	9530	70 %	shoes 600mm, UC ca 70% good, PAT-blade, extra working lights
Kettenlader / Chain loaders						
Caterpillar	CAT 973	86G0324X	1997	18700	40 %	shoes 675mm, UC ca 40% good, bucket with teeth 2.8 m3
Caterpillar	CAT 953 C	2ZN0450X	2001	8380	40 %	shoes 500mm, UC ca 40% good, bucket with teeth ca 1.8 m3
Caterpillar	CAT 953	20Z0406X	1991	5780	40 %	shoes 380mm, UC ca 40% good, bucket w. teeth 1.3 m3
Liebherr	LR 634	0988X	2008	8200	40 %	shoes 560mm, UC ca 40% good, bucket w. teeth, 3-teeth-Ripper
Baggerlader / Backhoe loaders						
Motorgrader / Motorgraders						
Walzen / Rollers						
Bomag	BW 154 AD-4	51106X	2007	6320	60 %	tandem roller, Asphalt manager
Minibagger / Mini excavators						

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Komatsu	PC 88 MR-6	F0051X	2007	5220	50 %	Mono, shoes 450mmn roadliner, UC ca 50% good, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff MS08, 2x bucket 420 a 750mm, ditch bucket 1760mm

Brech- / Siebanlagen / Screening / Crushing Plants**LKW / Trucks**

MAN	TGS 26.480		2009		40 %	first reg: 07.07.2009, km: ca 175.000, 6x4, EURO 5, middle seized cabin, automatic gearbox, Meiller 3-side tipper, Palfinger PK23002 behind cabin
MAN	TGA 26.480		2007		40 %	first reg: 20.04.2007, km: ca 746000, 6x4, EURO 4, automatic shift, front leaf spring, back air suspension
MAN	TGA 26.440		2007		30 %	first reg: 25.07.2007, km: ca 537000, 6x4, EURO 4, mechanical gearbox, front suspension Parabel, back suspension air, with Palfinger PK20002 behind pallet
Scania	124G 420		2004		40 %	Scania 124G 420 with Meiller unwinding unit, EURO 3, 6x2, mileage ca 760000km, manual gearbox, TÜV NEW

Sonstiges / Zubehör / Miscellaneous / Accessories

CAT	2-Steg-Bodenplatten für CAT 336DL		2009		%	2-piece shoes, ca 90% good, for CAT 336DL, 90 pieces
HS Schoch	Schaufel für L90		2016		%	bucket w. teeth for quick coupler, for Volvo L90, width 2700mm, ca 3m3
Miller	Schnellwechsler mechanisch		2008		%	miller quick coupler mech., fits to Volvo EC290CNL with stick width of

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
O&K	MB 125N	2676X	1977		%	400mm, bolts 90 mm O&K locomotive, Type: MB 125N, year: 1968, working hours: ca 19400, weight ca: 20.000 kg, good condition, ready to work
Rotorex	Typ 503		2007		%	log grapple Rotorex Typ 503
Tieflöffel	mit Zähnen		2008		%	bucket w. teeth, width 1200mm, fitting to Miller quick coupler
Volvo	Gabeln für Volvo L70F		2010		%	forks fitting quick coupler of Volvo L70F
Volvo	Schaufel für L90	024-0050X	2014		%	bucket w. edge for quick coupler, for Volvo L90, width 2550mm
Vögele	Super 800	0790165X	2013		%	Paver, max width 3.20m, levelling, Deutz engine
Winkelbauer	Schnellwechsler	1021.49X	2010		%	hydr, quick coupler fitting f.e. CAT 323DL, stick 310mm, bolt 80mm
Winkelbauer	Tieflöffel	16341-04	2010		%	bucket w. teeth, ca 1.26 m3, 1300mm, fitting on Winkelbauer quick coupler
Teleskoplader / Teleskopic loaders						
Manitou	MLT 741 120H	76843X	2013	3110	50 %	tires: 460/70 R24 ca 50% gut, aircondition, max lifting height 6.90m, max payload 4.1 to, bucket, forks
Manitou	MT 1440	59668X	2011	2390	50 %	tires 400/80-24 ca 50% good, lifting height 13.6m, max payload 4000kg, forks 1500mm, weight ca 11 to
Manitou	MT 1030	90355X	2011	1680	55 %	tir. 400/80-24, Perkins engine, 9.9m lifting height, max payload 3000kg, forks 1200mm, weight ca 7.4 to
Kompaktlader / Skid Steer loaders						
Takeuchi	TL 230	22300016X	2009	2180	50 %	bucket, forks, Yanmar engine, weight ca 3.7 to
Takeuchi	TL 130	2130788X	2008	3100	40 %	bucket, forks, Yanmar engine, weight ca 3.4 to

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
-------	------	-----	------	-------	----------	-------------

Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.

Machines offered subject to remaining unsold, prices ex works without tax.

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter www.bavariaswiss.com nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website www.bavariaswiss.com or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.