

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Radlader / Wheel Loaders</b>						
Caterpillar	CAT 990	7HK0052X	1993	25500	60 %	tires 45/65 R39 L5 ca 60% good, 3rd line, extra working lights, central lubrication, quick coupler, bucket w. edge ca 8.5 m3, 4500mm
Caterpillar	CAT 966K XE H	NGX0036X	2014	12845	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, 3rd line, central lubrication, extra working lights, high tipp bucket 8.0 m3
Caterpillar	CAT 966 H	A6G0512X	2010	15130	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 962 G-II	AYE0042X	2002	15630	30 %	tires 23.5 R25 ca 30% good, aircondition, RCS, central lubrication, Comman Steer, standard bucket w. teeth ca 3.8 m3
Hitachi	ZW 220-5B	0011X	2013	7100	60 %	tires 23.5 R25 ca 60% good, aircondition, central lubrication, 1-arm-steering, bucket w. edge 2980mm, ca 3.1 m3
Liebherr	L506	1675X	2007	9980	40 %	tires 365/70 R18 ca 40% good, 3rd line, quick coupler, bucket w. edge and teeth ca 0.8 m3
Liebherr	L506	1309X	2005	11960	35 %	tires 365/70 R18 ca 40% good, 3rd line, quick coupler, bucket w. edge and teeth ca 0.8 m3
Volvo	L 220 G	1273X	2013	10370	70 %	tit. 29.5 R25 L3 Bridgestone VJT ca 70% good, A/C, BSS, Axloilcooling, central lubrication, engine preheating, autom. engine shutdown, backdrive camera and -alarm, bucket with teeth
Volvo	L 180 E	724X	2005	19050	40 %	tires 26.5 R25 ca 40% good, aircondition, BSS, CDC, scale Pfreundt WK50-S, central lubrication, extra working lights, bucket w. teeth 4.8 m3 3160mm
Volvo	L 150 H	404X	2014	7800	30 %	tires 26.5 R25 ca 30% good, A/C, BSS, central lubrication, bucket w.

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 120 F	2624X	2011	9990	30 %	teeth 3000mm tires 23.5 R25 ca 30% good, Aircondition, BSS, Turbo II, central lubrication, bucket w. teeth ca 3.3 m3
Volvo	L 70 D	1934X	2002	23670	35 %	tir. 20.5 R25 ca 40% good, aircondition, BSS, central lubrication, 3rd line, quick coupler, no bucket
Volvo	L 60 E	212X	2005	11070	60 %	tires 20.5 R25 ca 60% good, aircondition, engine block heater, bucket w, edge 2500mm
Volvo	L 50 D	1399X	2002	17400	65 %	tires 17.5 R25 ca 70% good, aircondition, Turbo II, 3rd + 4th line, separate equipment lock, quick coupler, bucket w. edge 1.4 m3
Volvo	L 30 G	312406X	2016	700	60 %	tires 405/70 R20 ca 60% good, 3rd line, quick coupler, multi purpose bucket 0.9 m3, forks 1000mm
<b>Kettenbagger / Hydraulic Excavators</b>						
Caterpillar	CAT 349 EL	KFX0036X	2012	7800	40 %	shoes 600mm, UC mechanically adjustable ca 30-40% good, aircondition, protection guard, hammer-, grapple-, crusher lines, quick coupler Verachtert CW55, bucket 1450mm
Caterpillar	CAT 336 FLN ER	AT0027X	2015	4400	60 %	shoes 600mm, UC ca 60% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert CW45, bucket w. teeth, EPA certified
Caterpillar	CAT 330 DLN	GGE0087X	2008	9580	50 %	shoes 600mm, UC ca 50% good, aircondition, protection guard, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket
Caterpillar	CAT 329 DLN	SCY0024X	2009	11400	40 %	shoes 600mm, UC ca 40% good, aircondition, hammer lines, grapple

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT 323 EL	RAP0041X	2012	7800	50 %	lines, crusher lines, quick coupler, bucket shoes 600mm, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler, no bucket
Caterpillar	CAT 323 DL	BYM0040X	2008	13750	60 %	shoes 600mm, UC ca 60% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Oil Quick OQ70/55, bucket w. teeth 1200mm
Doosan	DX 300 LC	5010X	2011	11200	50 %	shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler, bucket
Hyundai	Robex 480 LC-90005X		2010	4950	50 %	shoes 600mm, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, bucket ca 3.0 m3
Liebherr	R954C VH-HD <del>APB</del>	3516X	2013	5600	70 %	demolition machine with 34m- and 28m- demolition equipment, digging equipment, hydr. tiltable cabin, hydr. adjust. UC, protection guard, camera on demol. equipm., 3x quick coupler Oil Quick, bucket
Volvo	EC 480 DL	21011X	2012	16570	70 %	shoes 600mm, UC ca 70% good, aircondition, extra working lights, swimming valve, extra counterweight, new hydr.-pump, new swing bearing, bucket w. teeth 2000mm
Volvo	EC 300 DL	21100X	2014	6680	50 %	shoes 800mm, UC ca 50% good, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 240 NLC	323X	2000	11000	50 %	shoes 600mm, UC ca 50% good, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	ECR 235 EL	31093X	2018	885	90 %	Adjustable boom 5760mm, shoes 600mm, UC 90% good, Aircondition, blade, hammer-, grapple-, crusher lines, proportionalsteering on joystick, light package LED, central lubrication, no attachments
Volvo	EC 210 CN	12027X	2007	10180	50 %	shoes 700mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, no attachments
Volvo	EC 160 BLC	1059X	2005	9040	40 %	shoes 600mm, UC ca 40% good, Mono, blade, A/C, hammer lines, grapple lines, crusher lines, quick coupler bsg, bucket 600, bucket 1400, ditch bucket 2000
Volvo	ECR 145 EL	31092X	2018	610	90 %	adjustable boom 4720mm, rubber shoes 500mm, UC ca 90% good, A/C, blade, hammer-, grapple-, crusher lines, proportionalsteering, working lights LED, central lubrication etc, no attachm
Volvo	ECR 145 EL	31047X	2016	1700	70 %	adjustable boom 4700mm, rubber shoes 500mm, UC ca 70% good, A/C, blade, hammer-, grapple-, crusher lines, proportionalsteering, working lights LED, Extra option: quick coupler S6, bucket 900mm
Volvo	ECR 145 DL	21009X	2013	7800	30 %	Mono, shoes 700mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket 1200mm
<b>Mobilbagger / Excavators - Mobile</b>						
Caterpillar	CAT M 318 D	W8P0094X	2008	11200	30 %	tires 10.00-20 ca 30% good, adjustable boom, blade, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler mech. CW30, pivoting bucket 1350mm
Caterpillar	CAT M 318 C	BCZ0026X	2003	7110	40 %	tires 10.00-20 ca 30-40% good, adjustable boom, blade, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket 1000mm

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT M 315	7ML0262X	2001	9110	60 %	tires 10.00-20 ca 60% good, adjustable boom, blade, central lubrication, hammer lines, crusher lines, grapple lines, quick coupler Verachtert, ditch bucket 2000mm
Komatsu	PW 148-8	H5022X	2011	7200	40 %	tires 10.00-20 ca 40% good, Adjustable boom, blade, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Verachtert CW30, no bucket
Liebherr	A 924	1254X	2002	16350	30 %	tires 10.00-20 ca 30% good, adjustable boom, blade, hammer lines, crusher lines, grapple lines, quick coupler bsg, bucket
Liebherr	A 914 B	K02251X	2005	5800	50 %	tires 10.00-20 ca 50% good, adjustable boom, blade, outriggers, hammer lines, crusher lines, grapple lines, quick coupler Lehnhoff, bucket 800, ditch bucket 2000
Liebherr	A 309 Litronic	06612X	2013	7580	9 %	tires 9.00-20 ca 40% good, adjustable boom, blade devided, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Lehnh. Lematic Tilt, bucket 800, ditch bucket 1800mm
Volvo	EW 180 E	32200X	2018	650	95 %	tir. 10.00-20 95% good, Adjust. boom, blade, A/C, central lube, all hydr. lines, side camera right side, proportionalst., speed control, LED lights, etc, no attachm.
Volvo	EW 160 E	32201X	2018	399	95 %	tir. 10.00-20 95% good, Adjust. boom, blade, A/C, central lube, all hydr. lines, side camera right side, proportionalst., speed control, LED lights, etc, no attachm.
<b>Umschlagbagger / Excavators - Material Handlers</b>						
Liebherr	A934C HD Litronic	MZK05409X	2011	18100	50 %	hightened cabin 800mm, protection guard, aircondition, blades, tires

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Sennebogen	821M	821.0.79X	2006	10850	50 %	480/95R25 ca 40-50% good, wood grapple 3.2 m2 hydr. cabin, aircondition, outriggers, boom 6400mm, tires 10.00-20 ca 50% good, 5-arm-grapple
<b>Dumper-Knickgelenk / Articulated Trucks</b>						
Komatsu	HM400-2	229X	2007	15200	50 %	tires 29.5 R25 ca 50% good, aircondition, body heating, Turbo II, big tailgate
Volvo	A 40 F	1208X	2013	15370	60 %	tires 29.5 R25 ca 60% gut, aircondition, body heating, sidewall extension, no tailgate, new gear box
Volvo	A 30 F	1245X	2013	9960	73 %	tires 23.5 R25 ca 70% good, aircondition, body heating, sidewall extension, big tailgate
Volvo	A 30 C	294X	1998	14100	40 %	tires 23.5 R25 ca 30% good, body heating prepared, sidewall extension, no tailgate
Volvo	A 25 D	1556X	2006	13880	70 %	tires 23.5 R25 ca 70% good, aircondition, body heating, sidewall extension, big tailgate
Volvo	A 20	101X	1987	13200	30 %	Tires 18.00-25 and 20.5-25 ca 30% good, small tailgate, netload ca 18.5 to, capacity ca 11.5 m3
<b>Dumper-Starr / Off-Highway Trucks</b>						
Komatsu	HD 465-5	473X	2000	25930	30 %	tires 24.00 R35 ca 20-40% good, aircondition, body heating, central lubrication

**Planiertrauen / Bulldozers**

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT D6N XL	MLW0075X	2012	4500	30 %	shoes 610mm, UC ca 30% good, aircondition, PAT-blade, ripper valve
Komatsu	D65PX-15	6941X	2007	7590	40 %	shoes 915mm, UC ca 40% good, aircondition, S-blade, central lubrication, extra working lights, ripper valve
<b>Kettenlader / Chain loaders</b>						
Caterpillar	CAT 963 D	LCS0021X	2006	10500	50 %	shoes 550mm, UC ca 50% good, aircondition, ripper valve, bucket with teeth ca 2.3 m3
<b>Baggerlader / Backhoe loaders</b>						
<b>Motorgrader / Motorgraders</b>						
<b>Walzen / Rollers</b>						
Bomag	BW100AC-3	1108X	1999	1750	50 %	open cabin
<b>Minibagger / Mini excavators</b>						
Kobelco	SK 35 SR-3	PX12-1124X	2005	3850	60 %	Mono, shoes 300, UC ca 60% good, blade, quick coupler Lehnhoff, bucket 300, ditch bucket 1140
Volvo	ECR 88 D	21349X	2018	190	95 %	rubber shoes 450mm, UC ca 95% good, blade, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler MS08, bucket 100
Volvo	ECR 88 D	21002X	2013	3020	60 %	shoes 450mm, UC ca 60% good, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler HS08, buckets 700 + 900, ditch bucket

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Brech- / Siebanlagen / Screening / Crushing Plants</b>						
Powerscreen	Traktor 320	SMW587XX	2014	3950	%	impact crusher 1.130 x 800mm with 2-Deck screening machine 3.350 x 1.550mm, oversize discharge conveyor, return conveyor, fine grain conv., water smoke screening, swing conveying trough under crusher,
<b>LKW / Trucks</b>						
<b>Sonstiges / Zubehör / Miscellaneous / Accessories</b>						
AfB	Hochkippschaufel	129713650X	2009		%	high-tipp-bucket 8.0 m3, for Volvo L150, fitting on quick coupler, width 3250mm
Atlas Copco	SC 4500 R	DEQ16916X	2016		%	almost unused steelscissor, for carrier machines of 38 - 60 to weight
Hyster	H50J	F3A 259XX	1984		%	forklift Hyster H50J, Perkins Diesel engine, lifting height 3.8m, lifting force 2300kg, side shifting device
Lehnhoff	hydr. Tieföffel	24472X	2009		%	bucket w. edge 1600mm, hydr. adjustable, for quick coupler Lehnhoff MS21, capacity 1400L
Lehnhoff	2-Schalen-Greifer		2009		%	2-arm-grapple, fitting on Lehnhoff HS21, width of arms 800mm
Liebherr	demolition boom 28m		2013		%	demolition boom 28m to be attached to Liebherr R954 demolition excavator, all hydraulic lines, with quick coupler OilQuick OQ80
Ranger	G60/H2	RAN593X	2009		%	terrain forklift, lifting weight 6 to, lifting height 4m
Reschke	Schaufel mit Schneide		2016		%	bucket with edge for Volvo L180, for quick coupler, 2990mm wide, ca 4.9 m3, produced by Reschke
Rädlinger	Tieföffel m. Zähnen		2008		%	Rädlinger bucket w. teeth, width 1200mm, fitting to Lehnhoff MS10 quick coupler, volume 1200L



Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Schaufel	Schaufel m. Zähnen		2010		%	bucket with teeth, fitting on CAT 908, for quick coupler, 1800mm, ca 0.8 m3
Schaufel L150 / L180	Schaufel m. Zähnen für Volvo L150 / L180		2011		%	bucket w. teeth for Volvo L150 / L180, 3000mm, bolt on
Stichweh	KS 400 S	123X	1980		%	drag scraper, year 1972, overhauled in year 2000, Telemeter, 3000 working hours, drag force 10 to, pendulum feeder, ca 3000 working hours
Stichweh	KS 300	569X	1980		%	drag scraper, year 1972, converter overhauled in 2012,
Tieflöffel	mit Zähnen		2008		%	bucket w. teeth, width 1200mm, fitting to Miller quick coupler
Tieflöffel	m. Zähnen u Schneide		2007		%	bucket with teeth and edge, width 800mm, for Lehnhoff quick coupler
Vermeer	SC 252		2000		%	tree stump milling machine
Volvo	Gabeln für Volvo L120		2013		%	forks for quick coupler, fitting for Volvo L120, teeth 1800mm
Wimmer	Tieflöffel m. Zähnen		2007		%	Wimmer bucket w. teeth, width 800mm, fitting to Wimmer quick coupler
Winkelbauer	Tieflöffel mit Zähnen		2008		%	Winkelbauer bucket with teeth, width 1600mm, fitting on Winkelbauer quick coupler

**Teleskoplader / Teleskopic loaders****Kompaktlader / Skid Steer loaders**

**Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.**

---

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
-------	------	-----	------	-------	----------	-------------

---

**Machines offered subject to remaining unsold, prices ex works without tax.**

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter [www.bavariaswiss.com](http://www.bavariaswiss.com) nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website [www.bavariaswiss.com](http://www.bavariaswiss.com) or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.