

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Radlader / Wheel Loaders						
Caterpillar	CAT 966K XE H	NGX0036X	2014	12850	30 %	tires 26.5 R25 ca 30% good, High Lift, aircondition, RCS, 3rd line, extra working lights, high-tipp-bucket 8.0 m3
Caterpillar	CAT 966 H	A6G0512X	2010	15130	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 966 G-II	AWY0126X	2005	14900	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 936 F	4TK0050X	1992	11100	55 %	tires 20.5 R25 ca 50% good, extra working lights, bucket with edge
Caterpillar	CAT IT 12 B	4NC0146X	1988	13500	50 %	tires 17.5 R25 ca 50% good, Powershift, extra working lights, quick coupler, bucket with edge, forks
Doosan	DL 420	505X	2010	9980	30 %	tires 26.5 R25 ca 30% good, aircondition, boom suspension, central lubrication, engine Cummins 13L, extra working lights, bucket w. edge ca 3.9 m3
Liebherr	L566 2plus2	2765X	2011	9995	100 %	tires 26.5 R25 NEW, aircondition, RCS, central lubrication, extra working lights, quick coupler, bucket with edge ca 4 m3
Liebherr	L 541	332-54X	1998	16000	50 %	tires 23.5 R25 ca 50-60% good, extra working lights, lightweightbucket
Volvo	L 220 G	1273X	2013	10800	70 %	tit. 29.5 R25 L3 Bridgestone VJT ca 70% good, A/C, BSS, Axloilcooling, central lubrication, engine preheating, autom. engine shutdown, backdrive camera and -alarm, bucket with teeth
Volvo	L 220 E	348X	2005	27200	45 %	tires 29.5 R25 ca 40-50% good, aircondition, BSS, central lubrication, engine preheating 230V, backdrive alarm, bucket w. edge ca 5.2 m3
Volvo	L 180 E	910X	2007	14400	50 %	tires 26.5 R25 ca 50% good, aircondition, BSS, CDC, Turbo II, separate

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 120 H	1437X	2015	2470	70 %	equipment lock, quick coupler, no bucket tir 23.5 R25 GY GP4D ca 70% good, A/C, BSS, CDC, 3rd line, autom. engine shutdown, central lube, extra working lights LED, engine preheating, quick coupler, bucket w. edge 4.5 m3
Volvo	L 120 F	2423X	2008	14750	35 %	tir 23.5 R25 ca 40% good, aircondition, BSS, airsuspended seat, central lubrication, extra working lights, bucket w. edge ca 3.3 m3
Volvo	L 120 F	2349X	2007	12650	50 %	tires 23.5 R25 ca 50% good, aircondition, BSS, airsuspended seat, bucket w. teeth ca 3.3 m3
Volvo	L 120 E	1775X	2004	10400	45 %	tires 23.5 R25 ca 50% good, aircondition, BSS, 3rd line, 40 km/h, central lubrication, weighing system, bucket w. edge 2900mm, ca 3.3 m3
Volvo	L 110 H	1144X	2017	1150	80 %	tir 23.5 R25 GY TL3A ca 80% good, A/C, BSS, CDC, 3rd+4th line, reversal fan, central lube, LED pack (Power), engine preheating, remote control, quick coupler, bucket w. edge 3.1 m3
Volvo	L 110 G	845X	2012	13300	100 %	tires 23.5 R25 NEW, aircondition, BSS, CDC, 3rd line, reversal fan, central lubrication, quick coupler, no bucket
Volvo	L 110 E	118X	2003	17900	35 %	Ber. 23.5 R25 ca 30-40% gut, Klima, BSS, luftgefederter Sitz, Schaufel mit Zähnen ca 3.1 m3
Volvo	L 90 G	439X	2014	6400	70 %	tir, 20.5 R25 L3 ca 70% good, A/C, BSS, CDC, 3rd + 4th line, reversal fan, central lubrication, oilbathairfilter, LED lights, quick coupler, bucket w. edge ca 2.5 m3
Volvo	BM 4500	433X	1988	12860	40 %	tires 23.5 R25 ca 40% good, 3rd line, quick coupler, bucket with teeth ca 2.4 m3

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 70 H	1287X	2017	440	80 %	tir. 600/65 R25 Michelin XLD (L3) ca 80% good, A/C, BSS, CDC, 3rd+4th line, central lubrication, 40 km/h, reversal fan, electr. engine preheating, LED package (Power), quick coupler hydr., no bucket
Volvo	BM L 70	805X	1989	32200	30 %	tires 17.5 R25 ca 30% good, 3rd line, quick coupler, bucket
Volvo	L 45 G	2028X	2014	5640	100 %	tires 15.5 R25 NEW, aircondition, BSS, 3rd line, 1-arm-steering, central lubrication, Turbo II, quick coupler, no bucket
Volvo	L 20 B	170174X	2007	2800	45 %	tires 12.0-18 ca 50% good, beacon light, 3ed line, quick coupler, bucket, forks
Kettenbagger / Hydraulic Excavators						
Caterpillar	CAT 349 EL	KFX0036X	2012	7800	40 %	shoes 600mm, UC mechanically adjustable ca 40% good, aircondition, protection guard, hammer-, grapple-, crusher lines, quick coupler Verachttert CW40, bucket 1450mm
Caterpillar	CAT 336 ELN	TMZ0023X	2012	6900	70 %	shoes 600mm, UC ca 70% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket
Caterpillar	CAT 323 EL	RAP0070X	2014	7250	50 %	Mono, stick 2.95m, shoes 700mm, UC ca 50% good, aircondition, hammer-, grapple, crusher lines, central lubrication, quick coupler Verachttert CW40, no bucket
Hyundai	Robex 210 LC-331052X		1997	12700	70 %	Mono, stick 3.0m, shoes 500mm, UC ca 70% good, hammer lines, cable winch 100m, bucket 1400mm
JCB	JS 220 LC XD	1464314-RB25X	2011	6300	50 %	shoes 600mm, UC ca 50% good, Mono, protection guard, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff MS2, bucket w. teeth 1200mm, ca 064 m3

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Liebherr	R 964 B	1975X	2007	14780	60 %	Mono, shoes 600mm, UC ca 50-60% good, aircondition, protection guard, central lubrication, bucket 2000mm
Volvo	EC 480 DL	21011X	2012	16570	70 %	shoes 600mm, UC ca 70% good, Mono 6500mm, stick 2550mm, protection guard, aircondition, swimming valve, extra working lights, HD-bucket with teeth 2000mm
Volvo	EC 300 DL	21100X	2014	6680	50 %	shoes 800mm, UC ca 50% good, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 300 DL	21108X	2014	6250	50 %	adjustable boom, shoes 800mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 290 CNL	11157X	2011	9420	60 %	shoes 600mm, UC ca 60% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff MS25, bucket 1200mm
Volvo	EC 290 BNLC	8008X	2006	11580	60 %	Mono, shoes 600mm, UC ca 60% good, aircondition, central lubrication, extra working lights, quick coupler Verachtert, bucket 1.6m3
Volvo	ECR 235 CL	11049X	2011	8450	65 %	Mono, shoes 700mm, UC ca 65% good, blade, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler Verachtert CW40, bucket 130
Volvo	EC 220 EL NEW	2143X	2017	5	100 %	shoes 600mm, UC NEW, A/C, hammer lines, grapple lines, crusher lines, proportionalsteering, sideview camera right side, swimming valve, 2-pump steering, light package LED (Power), no attachments
Volvo	EC 210 CL	12170X	2011	9400	50 %	shoes 600, UC ca 50% good, aircondition, protection guard, hammer

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket 1000mm
Volvo	EC 160 CL	12060X	2008	13930	60 %	Mono, shoes 600mm, UC ca 60% good, blade, hammer-, grapple-, crusher lines, quick coupler Lehnhoff, bucket
Volvo	ECR 145 DL	21009X	2013	7800	30 %	Mono, shoes 700mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket 1200mm
Mobilbagger / Excavators - Mobile						
Atlas	160 W	3015X	2009	12050	40 %	tires 10.00-20 ca 40% good, aircondition, protection guard, adjustable boom, blade, hammer lines, grapple lines, crusher lines, bucket
Caterpillar	CAT M 318	BAL0053X	1997	9080	40 %	tires 10.00-20 ca 30-40% good, adjustable boom, blade, quick coupler Verachtert, bucket
Caterpillar	CAT M 313 D	K3D0075X	2014	3630	80 %	tires 10.00-20 ca 80% good, Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Verachtert, no bucket, EPA cert.
Komatsu	PW 150 ES -6KK3020X		2000	8450	30 %	tires 10.00-20 ca 30% good, Adjustable boom, blade, outriggers, hammer lines, grapple lines, crusher lines, quick coupler, bucket
Komatsu	PW 148-8	H5022X	2011	7200	%	tires 10.00-20 ca 30% good, Adjustable boom, blade, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, no bucket
Liebherr	A 314	K02888X	2006	7600	60 %	balloon tires ca 60% good, aircondition, adjustable boom with sidekink, blade, outriggers, hammer lines, grapple lines, crusher lines, quick coupler LH SWA33, bucket 110

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
New Holland	MH Plus	B0219X	2008	9110	50 %	adjustable boom, blade, outriggers, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S2, 2x buckets 80 a 100, ditch bucket 180, tires 10.00-20 ca 50% good
Volvo	EW 180 C	12053X	2008	10140	50 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, no attachments, tires 315/80 R22.5 ca 50% good
Volvo	EW 180 B	875160X	2005	9615	20 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger, ditch bucket 2150mm, 2x buckets 1200 and 500mm, tires 10.00-20 ca 20% good
Volvo	EW 160 E NEW32139X		2018	5	100 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, tires 10.00 20 NEW, proportionalsteering, swimming valve, electr. muliport swivel 18 channels, no attachments
Volvo	EW 160 C	12098X	2008	6710	50 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S1, bucket 1180mm, ditch bucket 1800mm, tires 10.00-20 ca 50% good
Volvo	EW 160 B	110X	2003	19500	50 %	Adjustable boom, blade, outriggers, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S6, bucket, tires 10.00-20 ca 50% good

Umschlagbagger / Excavators - Material Handlers

Fuchs	MHL 350	051X	2002	20300	50 %	hydr. cabin, protection guard, outriggers, tires 12.00-20 full rubber ca 50% good, 3-arm woodgrapple
-------	---------	------	------	-------	------	--

Dumper-Knickgelenk / Articulated Trucks

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT D 40 D	2JJ0002X	1994	25000	30 %	tires 29.5 R25 front, 33.25 R29 back
Terex O&K	D25		1994	19100	43 %	tires 23.5 R25 ca 30-60% good, body heating
Volvo	A 40 F	1208X	2013	14670	53 %	tires 29.5 R25 ca 60% good, aircondition, Muldenheizung, sidewall extension
Volvo	A 30 F	1244X	2013	6050	60 %	tires 750/65 R25 ca 60% good, aircondition, body heating, sidewall extension, big tailgate
Volvo	A 30	185X	1995	21600	70 %	tires 750/65 R25 ca 70% good, prepared for body heating, sidewall extension, big tailgate
Volvo	A 25 C	794X	1993	17950	30 %	tires 23.5 R25 ca 30% good, sidewall extension, prepared for body heating, big tailgate
Volvo	BM 5350	39507X	1984	12000	30 %	tires 20.5 R25 ca 30% good, sidewall extension, extra working lights, no tailgate

Dumper-Starr / Off-Highway Trucks

Komatsu	HD 465-5	473X	2000	25930	30 %	tires 24.00 R35 ca 20-40% good, aircondition, body heating, central lubrication
---------	----------	------	------	-------	------	---

Planiertrauben / Bulldozers

Komatsu	D 51 PX-22	B1024X	2007	10450	30 %	shoes 710mm, UC ca 30% good, PAT - blade, aircondition, Leica 2D Laseranlage
Komatsu	D 37 PX-21A	555X	2004	9530	60 %	shoes 600mm, UC ca 60% good, PAT-blade, extra working lights

Kettenlader / Chain loaders

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT 953	20Z0406X	1991	5780	40 %	shoes 380mm, UC ca 40% good, bucket w. teeth 1.3 m3

Baggerlader / Backhoe loaders**Motorgrader / Motorgraders****Walzen / Rollers**

Bomag	BW 154 AD-4	2051106X	2007	6320	%	Asphalt Manager, Glattmantelbandage
Bomag	BW 120 AC-4	10188009117X	2012	5360	%	open cabin, drum width 1200mm, drum diameter 700mm, EPA certified

Minibagger / Mini excavators

Kobelco	SK 35 SR-3	PX12-1124X	2005	3850	60 %	Mono, shoes 300, UC ca 60% good, blade, hammer lines, quick coupler Lehnhoff, bucket 300, ditch bucket 1140
Volvo	EC 45	2841521X	2003	4500	60 %	Mono, shoes 400, UC ca 60% good, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket 500

Brech- / Siebanlagen / Screening / Crushing Plants

Metso	Nordberg LT 122	36047X	2007	4250	%	CAT engine, intake 1320x900mm, separate feeder and pre-filter, main conveyor and side conveyor belt, baffle plates ca 80% good, mill inside ca 60% good, shoes 500mm, UC ca 80% good
-------	-----------------	--------	------	------	---	--

LKW / Trucks

Daimler-Benz	1619 Tankwagen		1984		50 %	Daimler-Benz 1619 tank wagon, with SK-cabin
MAN	TGA 26.480		2007		40 %	first reg: 20.04.2007, km: ca 746000, 6x4, EURO 4, automatic gearbox,

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
MAN	14.152 Kehrmachine		1992		40 %	front leaf spring, back air suspension road sweeper, Schörling composition
Sonstiges / Zubehör / Miscellaneous / Accessories						
bsg	Schaufel mit Scherzahn	0390X	2016		%	bucket with edge for Volvo L150, for quick coupler, 3300mm wide, ca 4.3 m3, produced by bsg
Hyster	H50J	F3A 259XX	1984		%	forklift Hyster H50J, Perkins Diesel engine, lifting height 3.8m, lifting force 2300kg, side shifting device
Liebherr	Grabenräumlöffel hydr.		2002		%	hydr. ditch cleaning bucket for LH R922, 1800mm width
O&K	MB 125N	2676X	1977		%	O&K locomotive, Type: MB 125N, year: 1968, working hours: ca 19400, weight ca: 20.000 kg, good condition, ready to work
Ranger	G60/H2	RAN593X	2009		%	terrain forklift, lifting weight 6 to, lifting height 4m
Stichweh	KS 400 S	123X	1979		%	drag scraper, year 1972, overhauled in year 2000, Telemeter, 3000 working hours, drag force 10 to, pendulum feeder, ca 3000 working hours
Stichweh	KS 300	569X	1979		%	drag scraper, year 1972, converter overhauled in 2012,
Tieflöffel	mit Zähnen		2008		%	bucket w. teeth, width 1200mm, fitting to Miller quick coupler
Volvo	Schaufel m. Zähnen, fix verbolzt		2013		%	bucket with teeth, direct mounted, for Volvo L180, width 3200mm, ca 4.6 m3
Vögele	Super 800	0790165X	2013		%	Paver, max width 3.20m, levelling, Deutz engine
Wirtgen parts	WR2500SK		2007		%	big package of spare parts for Wirtgen WR2500SK available, parts worth more than €30.000,-, as package very cheap to buy, list of all parts available immediately

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Teleskoplader / Teleskopic loaders						
Manitou	MLT 741 120H	76843X	2013	3110	50 %	tires: 460/70 R24 ca 50% gut, aircondition, max lifting height 6.90m, max payload 4.1 to, bucket 2500mm ca 1.8 m3, forks 1700mm

Kompaktlader / Skid Steer loaders

Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.

Machines offered subject to remaining unsold, prices ex works without tax.

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter www.bavariaswiss.com nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website www.bavariaswiss.com or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.