

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Radlader / Wheel Loaders						
Caterpillar	CAT 966K XE H	NGX0036X	2014	12850	30 %	tires 26.5 R25 ca 30% good, High Lift, aircondition, RCS, 3rd line, extra working lights, high-tipp-bucket 8.0 m3
Caterpillar	CAT 966 H	A6G0512X	2010	15130	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 962 G-II	AYE0042X	2002	15630	30 %	tires 23.5 R25 ca 30% good, aircondition, RCS, central lubrication, Comman Steer, standard bucket w. teeth ca 3.8 m3
Caterpillar	CAT IT 12 B	4NC0146X	1988	13500	50 %	tires 17.5 R25 ca 50% good, Powershift, extra working lights, quick coupler, bucket with edge, forks
Doosan	DL 420	505X	2010	9980	30 %	tires 26.5 R25 ca 30% good, aircondition, boom suspension, central lubrication, engine Cummins 13L, extra working lights, bucket w. edge ca 3.9 m3
Doosan	DL 420	503X	2010	9940	30 %	tires 26.5 R25 ca 30% good, aircondition, boom suspension, central lubrication, 3rd line, engine Cummins 13L, extra working lights, bucket w. edge ca 3.9 m3
Liebherr	L566 2plus2	2765X	2011	9995	100 %	tires 26.5 R25 NEW, aircondition, RCS, central lubrication, extra working lights, quick coupler, bucket with edge ca 4 m3
Volvo	L 220 G	1273X	2013	10800	70 %	tit. 29.5 R25 L3 Bridgestone VJT ca 70% good, A/C, BSS, Axloilcooling, central lubrication, engine preheating, autom. engine shutdown, backdrive camera and -alarm, bucket with teeth
Volvo	L 220 E	348X	2005	27200	45 %	tires 29.5 R25 ca 40-50% good, aircondition, BSS, central lubrication, engine preheating 230V, backdrive alarm, bucket w. edge ca 5.2 m3

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 180 E	910X	2007	14400	50 %	tires 26.5 R25 ca 50% good, aircondition, BSS, CDC, Turbo II, separate equipment lock, quick coupler, no bucket
Volvo	L 120 H	1472X	2015	3950	40 %	tires 23.5 R25 ca 40% good, aircondition, BSS, CDC, central lubrication, 40 km/h, autom. engine shutdown, bucket w. teeth ca 3.7 m3, 3000mmm
Volvo	L 120 H	1472X	2015	4350	80 %	tires 23.5 R25 ca 80% good, aircondition, BSS, CDC, central lubrication, 40 km/h, autom. engine shutdown, bucket w. teeth ca 3.7 m3, 3000mmm
Volvo	L 120 G	3115X	2013	9570	50 %	tir. 23.5 R25 L5 ca 50% good, Long Boom, A/C, BSS, 3rd line, central lube, Turbo II, 40 km/h, reversal fan, extra working lights, quick coupler, bucket w. edge 3.3 m3
Volvo	L 120 E	1720X	2003	12380	40 %	tires 23.5 R25 ca 40% good, aircondition, BSS, 40 km/h, central lubrication, bucket w. edge ca 3.3 m3
Volvo	L 110 G	845X	2012	13300	100 %	tires 23.5 R25 NEW, aircondition, BSS, CDC, 3rd line, reversal fan, central lubrication, quick coupler, no bucket
Volvo	L 110 E	118X	2003	17900	35 %	Ber. 23.5 R25 ca 30-40% gut, Klima, BSS, luftgefederter Sitz, Schaufel mit Zähnen ca 3.1 m3
Volvo	L 90 G	439X	2014	6400	70 %	tir, 20.5 R25 L3 ca 70% good, A/C, BSS, CDC, 3rd + 4th line, reversal fan, central lubrication, oilbathairfilter, LED lights, quick coupler, bucket w. edge ca 2.5 m3
Volvo	BM 4500	433X	1988	12860	40 %	tires 23.5 R25 ca 40% good, 3rd line, quick coupler, bucket with teeth ca 2.4 m3

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 70 D	1934X	2002	23670	35 %	tir. 20.5 R25 ca 40% good, aircondition, BSS, central lubrication, 3rd line, quick coupler, no bucket
Volvo	BM L 70	805X	1989	32200	30 %	tires 17.5 R25 ca 30% good, 3rd line, quick coupler, bucket
Volvo	L 60 E	296X	2005	5780	45 %	tires 20.5 R25 ca 40% good, aircondition, 3rd line, central lubrication, quick coupler, bucket w. teeth ca 1.9 m3
Volvo	L 45 G	2028X	2014	5640	100 %	tires 15.5 R25 NEW, aircondition, BSS, 3rd line, 1-arm-steering, central lubrication, Turbo II, quick coupler, no bucket
Volvo	L 20 B	170174X	2007	2800	45 %	tires 12.0-18 ca 50% good, beacon light, 3ed line, quick coupler, bucket, forks
Kettenbagger / Hydraulic Excavators						
Caterpillar	CAT 349 EL	KFX0036X	2012	7800	40 %	shoes 600mm, UC mechanically adjustable ca 30-40% good, aircondition, protection guard, hammer-, grapple-, crusher lines, quick coupler Verachtet CW40, bucket 1450mm
Caterpillar	CAT 323 DL	BYM0040X	2008	13750	60 %	shoes 600mm, UC ca 60% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Oil Quick OQ70/55, bucket w. teeth 1200mm
Hyundai	Robex 210 LC-331052X		1997	12700	70 %	Mono, stick 3.0m, shoes 500mm, UC ca 70% good, hammer lines, cable winch 100m, bucket 1400mm
Volvo	EC 480 DL	21011X	2012	16570	70 %	shoes 600mm, UC ca 70% good, aircondition, extra working lights, swimming valve, extra counterweight, new hydr.-pump, new swing bearing, bucket w. teeth 2000mm
Volvo	EC 300 DL	21100X	2014	6680	50 %	shoes 800mm, UC ca 50% good, aircondition, central lubrication, hammer

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 300 DL	21108X	2014	6250	50 %	adjustable boom, shoes 800mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 290 CNL	11157X	2011	9420	60 %	shoes 600mm, UC ca 60% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff MS25, bucket 1200mm
Volvo	EC 290 BNLC	8039X	2006	13050	30 %	shoes 600mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Volvo S2, bucket 1550mm
Volvo	EC 250 EL NEV82131X		2018	5	100 %	Mono, shoes 700mm, UC NEW, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, 2-pump-steering, Proportionalsteering, Steelwrist S70, no bucket
Volvo	ECR 235 CL	11049X	2011	8450	65 %	Mono, shoes 700mm, UC ca 65% good, blade, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler Verachtert CW40, bucket 130
Volvo	EC 220 EL NEV82143X		2017	5	100 %	shoes 600mm, UC NEW, A/C, hammer-, grapple-, crusher lines, proportionalsteering, sideview camera right side, swimming valve, 2-pump steering, light package LED (Power), no attachments, warranty
Volvo	EC 210 CL	12170X	2011	9400	50 %	shoes 600, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket 1000mm
Volvo	EC 210 CN	12027X	2007	10180	50 %	shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						lines, crusher lines, no attachments
Volvo	EC 160 CL	12060X	2008	13930	70 %	Mono, shoes 600mm, UC ca 70% good, blade, aircondition, central lubrication, hammer-, crusher lines, quick coupler Lehnhoff mech., bucket 1100mm
Volvo	ECR 145 DL	21009X	2013	7800	30 %	Mono, shoes 700mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket 1200mm
Mobilbagger / Excavators - Mobile						
Caterpillar	CAT M 318	BAL0053X	1997	11500	60 %	tires 10.00-20 ca 30-40% good, adjustable boom, blade, hammer-, grapple-, crusher lines, quick coupler Verachtert, bucket 1000mm
Caterpillar	CAT M 313 D	K3D0075X	2014	3630	80 %	tires 10.00-20 ca 80% good, Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Verachtert, no bucket, EPA cert.
JCB	JS 175 W	16285X	2010	5350	30 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, no attachments, tires 10.00-20 ca 30% good
Komatsu	PW 150 ES -6KK3020X		2000	8450	30 %	tires 10.00-20 ca 30% good, Adjustable boom, blade, outriggers, hammer lines, grapple lines, crusher lines, quick coupler, bucket 1200mm
Komatsu	PW 148-8	H5022X	2011	7200	40 %	tires 10.00-20 ca 40% good, Adjustable boom, blade, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Verachtert CW30, no bucket
Komatsu	PW 118 MR-8	F0017X	2013	4989	40 %	tires 9-20 ca 40% good, Adjustable boom, blade, outriggers, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Oil Quick OQ60-5, buckets 600+800, ditch bucket 1400

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Liebherr	A 314	K02888X	2006	7600	60 %	balloon tires ca 60% good, aircondition, adjustable boom with sidekink, blade, outriggers, hammer lines, grapple lines, crusher lines, quick coupler LH SWA33, bucket 110
Terex	TW 190	30132X	2011	4920	40 %	tires 10.00-20 ca 40% good, Adjustable boom, blade, outriggers, hammer lines, grapple lines, crusher lines, no attachments
Volvo	EW 180 C	12053X	2008	10140	50 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, no attachments, tires 315/80 R22.5 ca 50% good
Volvo	EW 180 B	875160X	2005	9615	20 %	Adjustable boom, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Rädlinger, ditch bucket 2150mm, 2x buckets 1200 and 500mm, tires 10.00-20 ca 20% good
Volvo	EW 160 B	110X	2003	19500	20 %	Adjustable boom, blade, outriggers, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Volvo S6, bucket 1200mm, tires 10.00-20 ca 20% good
Umschlagbagger / Excavators - Material Handlers						
Fuchs	MHL 350	051X	2002	20300	50 %	hydr. cabin, protection guard, outriggers, tires 12.00-20 full rubber ca 50% good, 3-arm woodgrapple
Dumper-Knickgelenk / Articulated Trucks						
Caterpillar	CAT D 40 D	2JJ0002X	1994	25000	30 %	tires 29.5 R25 front, 33.25 R29 back
Terex O&K	D25		1994	19100	43 %	tires 23.5 R25 ca 30-60% good, body heating
Volvo	A 30 F	1244X	2013	6050	60 %	tires 750/65 R25 ca 60% good, aircondition, body heating, sidewall extension, big tailgate

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	A 30	185X	1995	21600	70 %	tires 750/65 R25 ca 70% good, prepared for body heating, sidewall extension, big tailgate
Volvo	A 25 C	794X	1993	17950	30 %	tires 23.5 R25 ca 30% good, sidewall extension, prepared for body heating, big tailgate
Volvo	BM 5350	39507X	1984	12000	30 %	tires 20.5 R25 ca 30% good, sidewall extension, extra working lights, no tailgate
Dumper-Starr / Off-Highway Trucks						
Komatsu	HD 465-5	473X	2000	25930	30 %	tires 24.00 R35 ca 20-40% good, aircondition, body heating, central lubrication
Planierraupen / Bulldozers						
Caterpillar	CAT D6N XL	MLW0075X	2012	4500	30 %	shoes 610mm, UC ca 30% good, aircondition, PAT-blade, ripper valve
Kettenlader / Chain loaders						
Caterpillar	CAT 963 D	LCS0021X	2006	10500	50 %	shoes 550mm, UC ca 50% good, aircondition, ripper valve, bucket with teeth ca 2.3 m3
Caterpillar	CAT 953	20Z0406X	1991	5780	40 %	shoes 380mm, UC ca 40% good, bucket w. teeth 1.3 m3

Baggerlader / Backhoe loaders**Motorgrader / Motorgraders****Walzen / Rollers**

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Bomag	BW 154 AD-4	2051106X	2007	6320	%	Asphalt Manager, Glattmantelbandage
Bomag	BW 120 AC-4	10188009117X	2012	5360	%	open cabin, drum width 1200mm, drum diameter 700mm, EPA certified
Minibagger / Mini excavators						
Kobelco	SK 35 SR-3	PX12-1124X	2005	3850	60 %	Mono, shoes 300, UC ca 60% good, blade, quick coupler Lehnhoff, bucket 300, ditch bucket 1140
Brech- / Siebanlagen / Screening / Crushing Plants						
Metso	Nordberg LT 1220	336047X	2007	4250	%	CAT engine, intake 1320x900mm, separate feeder and pre-filter, main conveyor and side conveyor belt, baffle plates ca 80% good, mill inside ca 60% good, shoes 500mm, UC ca 80% good
LKW / Trucks						
Daimler-Benz	1619 Tankwagen		1984		50 %	Daimler-Benz 1619 tank wagon, with SK-cabin
MAN	TGA 26.480		2007		40 %	first reg: 20.04.2007, km: ca 746000, 6x4, EURO 4, automatic gearbox, front leaf spring, back air suspension
MAN	14.152 Kehrmachine		1992		40 %	road sweeper, Schörling composition
Sonstiges / Zubehör / Miscellaneous / Accessories						
bsg	Schaufel mit Scherband		2016		%	bucket with edge for Volvo L150, for quick coupler, 3300mm wide, ca 4.3 m3, produced by bsg
Hyster	H50J	F3A 259XX	1984		%	forklift Hyster H50J, Perkins Diesel engine, lifting height 3.8m, lifting force 2300kg, side shifting device
Liebherr	Grabenräumlöffel hydr.		2002		%	hydr. ditch cleaning bucket for LH R922, 2000mm width

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Ranger	G60/H2	RAN593X	2009		%	terrain forklift, lifting weight 6 to, lifting height 4m
Stichweh	KS 400 S	123X	1979		%	drag scraper, year 1972, overhauled in year 2000, Telemeter, 3000 working hours, drag force 10 to, pendulum feeder, ca 3000 working hours
Stichweh	KS 300	569X	1979		%	drag scraper, year 1972, converter overhauled in 2012,
Tieflöffel	mit Zähnen		2008		%	bucket w. teeth, width 1200mm, fitting to Miller quick coupler
Volvo	Schaufel m. Zähnen, fix verbolzt		2013		%	bucket with teeth, direct mounted, for Volvo L180, width 3200mm, ca 4.6 m3
Volvo	Schaufel mit Schneide für SW		2015		%	bucket with edge for Volvo L120 or L110, for quick coupler, 2880mm wide, ca 3.0 m3,
Volvo	Gabeln für Volvo L120		2013		%	forks for quick coupler, fitting for Volvo L120
Vögele	Super 800	0790165X	2013		%	Paver, max width 3.20m, levelling, Deutz engine
Wirtgen parts	WR2500SK		2007		%	big package of spare parts for Wirtgen WR2500SK available, parts worth more than €30.000,-, as package very cheap to buy, list of all parts available immediately

Teleskoplader / Telescopic loaders

Claas	Scorpion 7035	002X	2014	330	90 %	full specs: A/C, 3rd line, Self Cleaning System, RBS, Extra working lights LED, central lubrication, tow bar, 40 km/h - Varipower, handthrottle, tir. 405/70-20 ca 90% good, quick coupler, forks
JCB	535-140	8150861X	2008	3400	70 %	tires 15.5/80-24 ca 70% good, protection guard, lifting height 13.8m, max lifting weight 4.0 to, bucket, forks, 2-man-cage

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
-------	------	-----	------	-------	----------	-------------

Kompaktlader / Skid Steer loaders

Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.

Machines offered subject to remaining unsold, prices ex works without tax.

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter www.bavariaswiss.com nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website www.bavariaswiss.com or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.